



# CARING FOR YOUR ROLLER SHUTTERS

---

To ensure that your new Roller Shutters remain beautiful and functional for years to come, we encourage you to carefully read through this guide.

Inside, you'll find essential tips on both operation and maintenance.

## CLEANING

To keep tracks free of dirt and dust, regularly apply a non-oil based silicone spray or compressed air. It is crucial a non oil-based silicone spray is used, as oil-based sprays can clog dust and dirt in the tracks, and therefore will not help the roller shutters operate smoothly. Cleaning the tracks regularly will keep them operating as designed.

Slats should be cleaned regularly to avoid build-up of excess dirt and debris. This will avoid scratching on the surface of the slats when retracted.

A sponge and a solution of warm soapy water can be used to thoroughly remove any grime, followed up with an absorbent cloth to wipe everything dry. Do NOT attempt to use any abrasive cleaners or steel wool, scrubbing brushes or scrapers on your shutters as they can permanently damage the surface.

## GENERAL MAINTENANCE

For manual shutters, please ensure straps inside the home stay straight and do not become twisted. Otherwise, the straps may suffer excess friction, potentially causing significant damage to the blinds.

12v batteries can be interchanged between shutter wall plates and will require regular charging via the cables provided depending on usage.

Shutter remotes have an internal battery, which is a consumable item and will eventually need replacing.







Thank you for choosing Just Quality! We hope you enjoy your Roller Shutters for years to come.

For any further questions, please contact us on 1300 813 813.

1300 813 813  
info@justquality.com.au  
justquality.com.au

11/43 Port Road  
Thebarton, SA 5031



Outdoor Blinds | Blockout Blinds | Roller Shutters  
Plantation Shutters | Artificial Turf | Paving  
Roof Restorations | Re-roofing | Guttering | Garage Doors